



203, 2nd Floor, B-Wing, The One World,
Ayodhya Chowk, Madhapar, Rajkot-06, Gujarat

M : +91 7779 09168, +91 91000 60038
E : dkfoodmachinepvtltd@gmail.com
W : www.dkfoodmachinery.com



classcartindia.com



MANUFACTURER CHAPATI MAKING MACHINE



www.dkfoodmachinery.com



www.dkfoodmachinery.com



About Company

At DK Machinery, our mission is to revolutionize the food manufacturing industry by delivering innovative and reliable machinery. We understand the challenges faced by food producers, and our team of experts works tirelessly to develop customized solutions that suit your unique needs. From small-scale startups to large-scale enterprises, we cater to a diverse clientele with unwavering dedication and professionalism.



Our Mission

To revolutionize the food machine manufacturing industry by providing innovative, reliable, and efficient machinery that empowers food producers to deliver high-quality products to consumers worldwide.



Our Vision

Our vision is to be a global leader in the food machine manufacturing industry, recognized for our cutting-edge technology, exceptional customer service, and commitment to sustainability.



Empowering Kitchen with Strength and Reliability

Atta Macking Machine



Model No.: DFM-01

Model : 2 Kg.
Motor : 0.25 HP, Single Phase with 1 Year Warranty
Time : 2 to 5 Min
Weight : 15 Kg.
Size : 14" x 10" x 18" (L x W x H)

Model No.: DFM-03

Model : 10 Kg.
Motor : 1 HP, Single Phase with 1 Year Warranty
Time : 5 to 8 Min
Weight : 86 Kg.
Size : 36" x 19" x 37" (L x W x H)

Model No.: DFM-05

Model : 20 Kg.
Motor : 1.5 HP, Single Phase with 1 Year Warranty
Time : 10 to 12 Min
Weight : 108 Kg.
Size : 43" x 25" x 40" (L x W x H)

Model No.: DFM-02

Model : 5 Kg.
Motor : 0.5 HP, Single Phase with 1 Year Warranty
Time : 3 to 5 Min
Weight : 35 Kg.
Size : 26" x 15" x 25" (L x W x H)

Model No.: DFM-04

Model : 15 Kg.
Motor : 1. HP, Single Phase with 1 Year Warranty
Time : 8 to 10 Min
Weight : 90 Kg.
Size : 38" x 21" x 38" (L x W x H)

Model No.: DFM-06

Model : 30 Kg.
Motor : 1.5 HP, Single Phase with 1 Year Warranty
Time : 10 to 15 Min
Weight : 115 Kg.
Size : 45" x 27" x 42" (L x W x H)

Electric Dough Ball Cutting Machine



Model No.	: DFM - 07
Production Capacity	: 1000 to 3000 / Hour (As per gram)
Size Adjustable	: 15gm – 100gm
Electric Supply	: 220 – 230 V (Single Phase)
Electric Connection Load	: 3.5 Amp.
Electric Consumption	: 1 Unit / Hour
Electric Parts	: Siemens, L&T, Multispan
Electric Wire	: RR Cable
Motor	: 0.5 HP (Godrej, Crompton, V-Guard / AC, DC)
Motor	: 120 Watts (AC) with Gear Box
Gear Box	: NMRV Gear
All Body Cover	: S.S. 202 1.5mm Mirror
Photo Sensor	: Capacitive Proximity Sensor (CR18-8DP)
Cutting Blade	: SS 304, Size: 100 x 30 x 2.5mm
Base Frame	: 25 x 25 x 1.6mm (MS) , Black Color
Varam	: SS 304
Machine's Base Stand	: Rubber Material
Machine Size	: 26in x 15in x 25in (L x B x H)
Machine Weight	: 50 kg

Semi Cooked Chapati Pressing Machine



Model No.	: DFM - 08
Production Capacity	: 500 Chapati / Hour
Size of Roti	: 2 inch to 7.5 inch
Thickness of Roti	: 1.5mm to 2mm (Both Side Adjustment)
Electric Supply	: 220 - 230 V (Single Phase)
Electric Heater	: Spiral Heater (2 Nos) 850 Watts
Electric Connection Load	: 8 Amp.
Motor	: 120 Watts (FHP)
Electric Consumption	: 2 Unit / Hour
Electric Parts	: Siemens, L&T, Multispan
Electric Wire	: RR Cable
Temperature Meter	: Multispan (48 x 48) 2 Pcs
MCB	: 16 amp (2 Pole)
Pressing Plate	: Ceramic Coating (230 x 230 x 5mm)
All Body Cover	: S.S. (3mm Thickness)
Machine Size	: 17in x 15in x 21in (L x W x H)
Machine Weight	: 39 kg

Semi Cooked Chapati Pressing Machine



Model No.	: DFM - 09
Production Capacity	: 1000 Chapati / Hour
Size of Roti	: 2 inch to 9 inch
Thickness of Roti	: 1mm to 5mm
Electric Supply	: 220 - 230 V (Single Phase)
Electric Heater	: Spiral Heater (2 Nos) 1500 Watts
Electric Connection Load	: 16 Amp.
Motor	: 0.5 HP (Crompton / V-Guard)
Electric Consumption	: 3 Unit / Hour
Electric Parts	: Siemens, L&T, Multispan
Electric Wire	: RR Cable
Temperature Meter	: Multispan (48 x 48) 2 Pcs
Voltage + Amp Meter	: Multispan (48 x 48) 1 Pcs
MCB	: 32 amp (2 Pole)
Gear Box	: NMRV Gear
Pressing Plate	: Ceramic Coating (250 x 250 x 16mm)
All Body Cover	: S.S. (1.5mm Thickness)
Base Frame	: MS Powder Coating
Chain Sprocket And Shaft	: MS with Zinc Coated
Machine Size	: 32in x 16in x 18in (L x W x H)
Machine Weight	: 94 kg

300 to 400 Roti Making Machine



Model No.	: DFM - 10
Production Capacity	: 300 To 400 Chapati / Hour
Size of Roti	: 2 inch to 7.5 inch
Electric Supply	: 220 – 230 V (Single Phase)
Electric Connection Load	: 7 to 8 Amp. (2 HP)
Electric Consumption	: 2 to 3 Unit / Hour
Electric Parts	: Siemens, L&T, Multispan
Electric Heater	: Spiral 1000 W (2 Nos)
Electric Wire	: RR Cable
Speed Controller	: Yes
Motor	: 2 Nos with Gear Box
Roti Baking Design	: Z Type Three Layer Conveyor
Gas Supply connection	: LPG
Gas Intel Pressure Require	: Up to 15 psi Pressure
Gas Consumption	: 1 To 1.5 Kg
All Contact Parts	: S.S. 304 (Conveyor Belt Pati Thickness 2.5mm Jindal)
Base Frame	: MS Powder Coating (40 X 40 X 5mm)
Industrial with attachment	
Roller Chain	: Size 1/2
Chain Sprocket and Shaft	: MS with Zinc Coated
Pressing Plate	: Ceramic Coating (230 x 230 x 04mm)
Bearing	: UCP – 205
Castor Wheel	: 3 inch with lock
Conveyor Belt Size	: 1/2 (Attachment, Industrial Roller)
Machine Size	: 45in x 22in x 49in (L x W x H)
Machine Weight	: 150 kg

www.dkfoodmachinery.com

500 to 600 Roti Making Machine



Model No.	: DFM - 11
Production Capacity	: 500 to 600 Chapati/hour
Size of Roti	: 2 inch to 7.5 inch
Electric Supply	: 220-230 V (Single Phase)
Electric Connection Load	: 7 to 8 Amp. (2 HP)
Electric Consumption	: 2 to 3 Unit / Hour
Electric Parts	: Siemens, L&T, Multispan
Electric Heater	: Spiral 850 W (2 Nos)
Electric Wire	: RR Cable
Speed Controller	: Yes
Motor	: 2 Nos with Gear box
Roti Baking Design	: Z Type Three Layer Conveyor
Gas Supply connection	: LPG
Gas Intel Pressure Require	: Up to 15 psi pressure
Gas Consumption	: 1.5 to 2 kg
All Contact Parts	: S.S. 304 (Conveyor Belt Pati Thickness 2.5mm Jindal)
All Body Cover	: S.S. 202 (1.2 mm)
Base Frame	: MS Powder Coating (40 X 40 X 2mm)
Industrial with attachment	
Roller Chain	: Size 1/2
Chain Sprocket and Shaft	: MS with Zinc Coated
Pressing Plate	: Ceramic Coating (230 x 230 x 10mm)
Bearing	: (UCP – 205)
Castor Wheel	: 3 inch with lock
Conveyor Belt Size	: 1/2 (Attachment, Industrial Roller)
Machine Size	: 55in x 22in x 46in (L x W x H)
Machine Weight	: 210 kg

www.dkfoodmachinery.com

800 to 1000
Roti Making
Machine



- Model No.
Production Capacity
Size of Roti
Electric Supply
Electric Connection Load
Electric Consumption
Electric Parts
Electric Wire
Motor

: DFM - 12
: 800 to 1000 Chapati / Hour
: 2 inch to 9 inch
: 220 - 230 V (Single Phase)
: 14 Amp.
: 3 to 4 Unit / Hour
: Siemens, L&T, Multyspan
: RR Cable
: 0.5 HP + 0.5 HP (Godrej, Crompton, V-Guard 1440 rpm)
- Roti Baking Design
Gas Supply Connection
Gas Intel Pressure Require
Gas Consumption
All Contact Parts
All Body Cover
Base Frame
Chain Sprocket And Shaft
Gear Box
Pressing Plate
Bearing
Castor Wheel
Conveyor Belt Size
Machine Size
Machine Weight

: Z Type Three Layer Conveyor
: LPG or PNG (As Per Your Availability)
: Up to 15 Psi Pressure
: 1.5 to 2.5 Kg
: S.S. 304 (Conveyor Belt Pati Thickness 2.5mm Jindal)
: S.S.
: MS Powder Coating (40 X 40 X 2mm)
: MS with Zinc Coated
: NMRV Gear B)
: Ceramic Coating (250 x 250 x 16mm)
: PMX (UCP-205) / ETK (UCP-205)
: 4 inch with lock
: 5/8 (IOBI Attachment, Industrial Roller)
: 65in x 23in x 54in (L x W x H)
: 300 kg

www.dkfoodmachinery.com

1000 to 1100
Roti Making
Machine Delux



- Model No.
Production Capacity
Size of Roti
Electric Supply
Electric Connection Load
Electric Consumption
Electric Parts
Electric Heater
Electric Wire
Vfd Drive
Motor

: DFM - 13
: 1000 to 1100 Chapati/hour
: 2 inch to 9 inch
: 220 - 230 V (Single Phase)
: 16 Amp.
: 3 to 4 Unit / Hour
: Siemens, L&T, Multyspan
: Spiral 1500 W (2 Nos)
: RR Cable
: INOVANCE MD 200 Serice AC Drive
: 0.5 HP + 0.5 HP (Godrej, Crompton 1440rpm) 2 Nos
- Roti Baking Design
Gas Supply Connection
Gas Intel Pressure Require
Gas Consumption
All Contact Parts
All Body Cover
Base Frame
Industrial With Attachment
Roller Chain
Chain Sprocket And Shaft
Gear Box
Pressing Plate
Bearing
Castor Wheel
Conveyor Belt Size
Machine Size
Machine Weight

: Z Type Three Layer Conveyor
: LPG or PNG (As Per Your Availability)
: Up to 15 Psi Pressure
: 2.5 to 3 kg
: S.S. 304 (Conveyor Belt Pati Thickness 2.5mm Jindal)
: S.S. (1.5mm)
: MS Powder Coating (40 X 40 X 2mm)
: Size 3/4
: MS with Zinc Coated
: NMRV 2 Nos
: Ceramic Coating (250 x 250 x 16mm) (Hard Anodize)
: (UCP - 206)
: 4 inch with lock
: 3/4 (12B1 Attachment, Industrial Roller)
: 72in x 24in x 54in (L x W x H)
: 400 kg

www.dkfoodmachinery.com

900 to 1000 All Type Roti Making Machine



Model No.	: DFM - 14
Size of Roti	: 2 Inch to 11 Inch
Electric Supply	: 220-230 V (Single Phase)
Electric Connection Load	: 16 Amp.
Electric Consumption	: 4 Unit / Hour
Electric Heater	: Plate Heater
Electric Parts	: Siemens, L&T, Multispan, Enovance
Electric Wire	: RR Cable
Motor	: 1 HP
Roti Baking Design	: Z Type Three Layer Conveyor
Gas Supply connectio	: LPG or PNG (As Per Your Availability)
Gas Intel Pressure Require	: Up to 15 psi pressure
Gas Consumption	: 2.5 to 3kg
Pressing Plate	: Tefloon Coating
All Contact Parts	: S.S. 304 (Conveyor Belt Pati Thickness 2.5mm Jindal)
All Body Cover	: S.S. 304 (1.5mm Thickness)
Base Frame	: MS Hi Temp, Powder Coating (50 X 25 x 2mm Pipe)
Chain Sprocket and Shaft	: 3/4 MS with Zinc Coated
Gear Box	: NMRV Gear or Helical Gear
Bearing	: UPP - 206
Castor Wheel	: 4 inch with lock
Conveyor Belt Size	: 3/4 (12B1 Attachment, Industrial, Roller)
(L- 2170mm, W-310mm)	
Machine Size	: 75in x 30in x 55in (L x B x H)
Machine Weight	: 450 kg

www.dkfoodmachinery.com

2000 to 2100 Roti Making Machine




Model No.	: DFM - 15
Production Capacity	: 2000 to 2100 Chapati/hour
Size of Roti	: 2 inch to 8 inch
Electric Supply	: 415 V (Three Phase)/220-230 (Single Phase)
Electric Connection Load	: 12 Amp. / 36 Amp.
Electric Consumption	: 7.5 Unit/hour
Electric Heater	: Inco line Heater
Electric Parts	: Siemens, L&T, Multyspan, Enovance
Electric Wire	: RR Cable
Motor	: 0.5 HP + 0.5 HP + 0.5 HP (ABB, LHP), I.OHP (LHP)
Roti Baking Design	: Z Type Three Layer Conveyor
Gas Supply connection	: LPG or PNG (As per your availability)
Gas Intel Pressure Require	: up to 25/30 psi pressure
Gas Consumption	: 4 to 5 kg
Pressing Plate	: Ceramic Coating (250 x 250 x 16mm)
All Contact Parts	: S.S. 304 (Conveyor belt pati thickness 2.5mm jindal)
All Body Cover	: S.S. (1.5 mm Mirror)
Base Frame	: MS Powder Coating (50 X 50 x 5mm Angle)
Chain Sprocket and Shaft	: MS with Zinc Coated
Gear Box	: NMRV Gear (0.5 HP) + Helical (1.0 HP)
Bearing	: Pedestal UCP-207
Castor Wheel	: 4 inch with lock
Conveyor Belt Size	: 3/4 (12B1 Attachment, Industrial Roller)
Machine Size	: 81in x 38in x 54in (L x B x H)
Machine Weight	: 650 kg

www.dkfoodmachinery.com


OUR MANY REPUTED CLIENTS

IN THE WORLD FOOD INDUSTRIES.
SOME OF THEM ARE HERE...



OUR PRODUCTS EXPORT IN OTHER COUNTRY

At **DK MACHINERY**, we take pride in delivering top-quality food processing solutions to markets across the globe. Our products are trusted by businesses in the



EUROPEAN Mauritius • United Kingdom • Australia
Slovakia • Several European Countries

ASIA Saudi Arabia • Philippines • Nepal
Dubai • Oman • Bhutan • Qatar

USA • CANADA

AFRICAN Kenya • Tanzania • Uganda And May More...

With a commitment to innovation and excellence, we continue to expand our presence, catering to the diverse needs of the food industry worldwide.